

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

5-Chloro-2-methylsulfonyl-1,2,4-tria-zolo[1,5-a]quinazoline

Rashad Al-Salahi,^a Mohamed Al-Omar,^a Mohamed Marzouk^a and Seik Weng Ng^{b,c}*

^aDepartment of Pharmaceutical Chemistry, College of Pharmacy, King Saud University, Riyadh 11451, Saudi Arabia, ^bDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia, and ^cChemistry Department, Faculty of Science, King Abdulaziz University, PO Box 80203 Jeddah, Saudi Arabia Correspondence e-mail: seikweng@um.edu.my

Received 10 May 2012; accepted 14 May 2012

Key indicators: single-crystal X-ray study; T = 294 K; mean $\sigma(C-C) = 0.003$ Å; R factor = 0.037; wR factor = 0.113; data-to-parameter ratio = 14.4.

The triazoloquinazole fused-ring system of the title compound, $C_{10}H_7ClN_4O_2S$, is essentially planar (r.m.s. deviation = 0.009 Å). In the methylsulfonyl substituent, the two S-O bonds are of equal length [1.402 (2) Å]. In the crystal, adjacent molecules interact weakly through $Cl\cdots N$ contacts [ca 3.197 (2) Å].

Related literature

For the synthesis of the precursor, see: Al-Salahi & Geffken (2011).



Experimental

Crystal data

 $\begin{array}{lll} {\rm C_{10}H_7CIN_4O_2S} & & V = 1144.74~(6)~{\rm \mathring{A}}^3 \\ M_r = 282.71 & Z = 4 \\ {\rm Monoclinic,} & P2_1/c & {\rm Cu} & K\alpha {\rm radiation} \\ a = 12.6386~(3)~{\rm \mathring{A}} & \mu = 4.69~{\rm mm}^{-1} \\ b = 10.7464~(3)~{\rm \mathring{A}} & T = 294~{\rm K} \\ c = 8.6317~(3)~{\rm \mathring{A}} & 0.30 \times 0.25 \times 0.20~{\rm mm} \\ \beta = 102.459~(3)^{\circ} \end{array}$

Data collection

Agilent SuperNova Dual 10130 measured reflections diffractometer with an Atlas detector 2168 reflections with $I > 2\sigma(I)$ Absorption correction: multi-scan (CrysAlis PRO; Agilent, 2012) $R_{\rm int} = 0.025$

Refinement

 $T_{\min} = 0.334, T_{\max} = 0.454$

 $\begin{array}{ll} R[F^2 > 2\sigma(F^2)] = 0.037 & 165 \text{ parameters} \\ wR(F^2) = 0.113 & \text{H-atom parameters constrained} \\ S = 1.03 & \Delta\rho_{\text{max}} = 0.27 \text{ e Å}^{-3} \\ 2383 \text{ reflections} & \Delta\rho_{\text{min}} = -0.40 \text{ e Å}^{-3} \end{array}$

Data collection: *CrysAlis PRO* (Agilent, 2012); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO* program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2010).

We thank the Research Center of the College of Pharmacy College and Deanship of Scientific Research of King Saud University, and the Ministry of Higher Education of Malaysia (grant No. UM.C/HIR/MOHE/SC/12) for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT5916).

References

Agilent (2012). CrysAlis PRO. Agilent Technologies, Yarnton, England. Al-Salahi, R. & Geffken, D. (2011). Synth. Commun., 41, 3512–3523. Barbour, L. J. (2001). J. Supramol. Chem. 1, 189–191. Sheldrick, G. M. (2008). Acta Cryst. A64, 112–122. Westrip, S. P. (2010). J. Appl. Cryst. 43, 920–925.

supplementary materials

Acta Cryst. (2012). E68, o1809 [doi:10.1107/S1600536812021770]

5-Chloro-2-methylsulfonyl-1,2,4-triazolo[1,5-a]quinazoline

Rashad Al-Salahi, Mohamed Al-Omar, Mohamed Marzouk and Seik Weng Ng

Comment

In this study, 2-(methylsulfanyl)-[1,2,4]triazolo[1,5-a]quinazolin-5-one (Al-Salahi & Geffken, 2011) was first treated with phosphorus oxychloride to yield the chlorinated compound, whose sulfur linkage was then oxidized by hydrogen peroxide. Chlorination took place at the carbon atom bearing the ketonic oxygen in the title compound (Scheme I). The triazoloquinazole fused-ring system is planar; in the methanesulfonyl substitutent, the two S–O bonds are of equal length (1.402 (2) Å). Adjacent molecules interact weakly through Cl···N contacts (*ca.* 3.20 Å).

Experimental

Under ice-cold conditions, 2-hydrazinobenzoic acid (10 mmol, 1.52 g) was added to a solution of dimethyl *N*-cyano-dithioimidocarbonate (10 mmol, 1.46 g) in ethanol (20 ml). Triethylamine (30 mmol, 3.03 g) was added. The reaction mixture was stirred overnight at room temperature. Concentrated hydrochloric acid was added; the acidified mixture for heated for an hour. The mixture was poured into ice water; the solid that formed was collected and recrystallized from ethanol to give colorless crystals of 2-(methylsulfanyl)-[1,2,4]triazolo[1,5-a]quinazolin-5-one. The procedure was that reported earlier (Al-Salahi & Geffken, 2011).

The above compound (1 mmol, 0.232 g) was heated with phosphorus oxychloride (1 ml) in benzene (10 ml) for 2 h. The solvent was evaporated and the residue was treated with saturated potassium carbonate to give the chlorinated [1,2,4]triazoloquinazoline.

To the boiling mixture of chlorinated [1,2,4]triazoloquinazoline (1 mmol, 0.25 g) in glacial acetic acid (5 ml) was added hydrogen peroxide. Colorless crystals of the oxidized product were obtained when the solution was allowed to cool.

Refinement

Carbon-bound H-atoms were placed in calculated positions [C-H 0.93 to 0.96 Å, $U_{iso}(H)$ 1.2 to 1.5 $U_{eq}(C)$] and were included in the refinement in the riding model approximation.

Computing details

Data collection: *CrysAlis PRO* (Agilent, 2012); cell refinement: *CrysAlis PRO* (Agilent, 2012); data reduction: *CrysAlis PRO* (Agilent, 2012); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2010).

Acta Cryst. (2012). E68, o1809 Sup-1




Figure 1

Anisotropic displacement ellipsoid plot (Barbour, 2001) of C₁₀H₇ClN₄O₂S at the 70% probability level; hydrogen atoms are drawn as spheres of arbitrary radius.

5-Chloro-2-methylsulfonyl-1,2,4-triazolo[1,5-a]quinazoline

Crystal data

$C_{10}H_7CIN_4O_2S$	F(000) = 576
$M_r = 282.71$	$D_{\rm x} = 1.640 {\rm \ Mg \ m^{-3}}$
Monoclinic, $P2_1/c$	Cu $K\alpha$ radiation, $\lambda = 1.54184 \text{ Å}$
Hall symbol: -P 2ybc	Cell parameters from 4932 reflections
a = 12.6386 (3) Å	$\theta = 3.6-76.5^{\circ}$
b = 10.7464 (3) Å	$\mu = 4.69 \text{ mm}^{-1}$
c = 8.6317(3) Å	T = 294 K
$\beta = 102.459 (3)^{\circ}$	Prism, colorless
$V = 1144.74 (6) \text{ Å}^3$	$0.30 \times 0.25 \times 0.20 \text{ mm}$
Z=4	

D_{ℓ}

$T_{\text{min}} = 0.334$, $T_{\text{max}} = 0.454$ 10130 measured reflections
2383 independent reflections
2168 reflections with $I > 2\sigma(I)$
$R_{\rm int} = 0.025$
$\theta_{\text{max}} = 76.7^{\circ}, \ \theta_{\text{min}} = 3.6^{\circ}$
$h = -15 \rightarrow 12$
$k = -13 \rightarrow 12$
$l = -10 \longrightarrow 10$

sup-2 Acta Cryst. (2012). E68, o1809

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.037$

 $wR(F^2) = 0.113$

S = 1.03

2383 reflections

165 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier

map

Hydrogen site location: inferred from

neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_0^2) + (0.0707P)^2 + 0.3878P]$

where $P = (F_0^2 + 2F_c^2)/3$

 $(\Delta/\sigma)_{\text{max}} = 0.001$

 $\Delta \rho_{\text{max}} = 0.27 \text{ e Å}^{-3}$ $\Delta \rho_{\text{min}} = -0.40 \text{ e Å}^{-3}$

Extinction correction: SHELXL97 (Sheldrick, 2008), $Fc^*=kFc[1+0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$

Extinction coefficient: 0.0033 (6)

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\hat{A}^2)

	X	у	Z	$U_{ m iso}$ */ $U_{ m eq}$	
Cl1	0.45911 (4)	0.43675 (5)	0.75576 (7)	0.05379 (19)	
S1	0.88914 (4)	0.86294 (4)	0.54205 (6)	0.04933 (19)	
O1	0.82482 (19)	0.94586 (18)	0.4366 (2)	0.0828 (7)	
O2	0.9760(2)	0.8096(2)	0.4887 (4)	0.1080 (10)	
N1	0.58990 (12)	0.60611 (16)	0.6966(2)	0.0445 (4)	
N2	0.74566 (12)	0.56267 (13)	0.59166 (18)	0.0365 (3)	
N3	0.82959 (12)	0.62371 (15)	0.55072 (19)	0.0404 (3)	
N4	0.71600 (13)	0.75914 (15)	0.6396 (2)	0.0449 (4)	
C1	0.57202 (14)	0.48755 (18)	0.6911(2)	0.0412 (4)	
C2	0.63661 (14)	0.39385 (17)	0.6353(2)	0.0388 (4)	
C3	0.61415 (16)	0.26559 (18)	0.6285 (3)	0.0467 (4)	
H3A	0.5539	0.2353	0.6620	0.056*	
C4	0.68132 (17)	0.18528 (19)	0.5721 (3)	0.0518 (5)	
H4	0.6663	0.1005	0.5680	0.062*	
C5	0.77164 (17)	0.22883 (19)	0.5209(3)	0.0498 (5)	
H5	0.8158	0.1727	0.4826	0.060*	
C6	0.79670 (16)	0.35396 (17)	0.5261 (2)	0.0431 (4)	
H6	0.8573	0.3829	0.4924	0.052*	
C7	0.72873 (14)	0.43547 (16)	0.5832(2)	0.0368 (4)	
C8	0.67944 (14)	0.64414 (16)	0.6455 (2)	0.0394 (4)	
C9	0.80569 (15)	0.74008 (17)	0.5817 (2)	0.0408 (4)	
C10	0.9299 (2)	0.9347 (3)	0.7255 (3)	0.0708 (8)	
H10A	0.9786	1.0017	0.7171	0.106*	
H10B	0.9662	0.8752	0.8018	0.106*	
H10C	0.8676	0.9668	0.7591	0.106*	

Atomic displacement parameters (\mathring{A}^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C11	0.0401 (3)	0.0539(3)	0.0736 (4)	-0.00281 (18)	0.0258 (2)	0.0039 (2)
S1	0.0629(3)	0.0383 (3)	0.0549 (3)	-0.0106 (2)	0.0306(2)	-0.00469 (19)
O1	0.1214 (18)	0.0528 (10)	0.0643 (11)	-0.0205 (10)	-0.0021 (11)	0.0108 (8)
O2	0.1003 (16)	0.0681 (13)	0.189(3)	-0.0195 (11)	0.1040 (18)	-0.0260 (15)
N1	0.0364 (7)	0.0418 (8)	0.0590 (10)	0.0016 (6)	0.0187 (7)	-0.0013 (7)

sup-3 Acta Cryst. (2012). E68, o1809

supplementary materials

N2	0.0350(7)	0.0340 (7)	0.0427 (8)	-0.0004(5)	0.0135 (6)	-0.0003 (6)
N3	0.0413 (8)	0.0373 (8)	0.0470(8)	-0.0019(6)	0.0194 (6)	-0.0006(6)
N4	0.0438 (8)	0.0358 (8)	0.0602 (10)	0.0010(6)	0.0224 (7)	-0.0011 (7)
C1	0.0319 (8)	0.0437 (10)	0.0497 (10)	0.0000(7)	0.0126 (7)	0.0031 (8)
C2	0.0352 (8)	0.0378 (9)	0.0435 (9)	-0.0012 (7)	0.0088 (7)	0.0013 (7)
C3	0.0438 (9)	0.0404 (10)	0.0566 (11)	-0.0060(8)	0.0124 (8)	0.0012 (8)
C4	0.0567 (12)	0.0351 (10)	0.0645 (13)	-0.0044(8)	0.0154 (10)	-0.0030(8)
C5	0.0534 (11)	0.0378 (10)	0.0606 (12)	0.0038 (8)	0.0177 (9)	-0.0055(8)
C6	0.0418 (9)	0.0392 (9)	0.0512 (10)	0.0004 (7)	0.0165 (8)	-0.0006(7)
C7	0.0361 (8)	0.0349 (9)	0.0396 (9)	0.0000 (6)	0.0082 (7)	0.0005 (7)
C8	0.0358 (8)	0.0372 (9)	0.0475 (10)	0.0026 (7)	0.0140 (7)	-0.0007(7)
C9	0.0422 (9)	0.0357 (9)	0.0480 (10)	-0.0018 (7)	0.0176 (8)	-0.0005(7)
C10	0.0859 (18)	0.0761 (17)	0.0471 (12)	-0.0406 (14)	0.0070 (11)	0.0010 (11)

Geometric parameters (Å, °)

Geometric parameters (Å,	9)		
Cl1—C1	1.7288 (19)	C2—C3	1.406 (3)
S1—01	1.402 (2)	C2—C7	1.408 (2)
S1—O2	1.402(2)	C3—C4	1.371 (3)
S1—C10	1.737 (2)	C3—H3A	0.9300
S1—C9	1.7689 (19)	C4—C5	1.391 (3)
N1—C1	1.293 (3)	C4—H4	0.9300
N1—C8	1.363 (2)	C5—C6	1.380 (3)
N2—N3	1.357 (2)	C5—H5	0.9300
N2—C8	1.360(2)	C6—C7	1.389 (3)
N2—C7	1.383 (2)	C6—H6	0.9300
N3—C9	1.327 (2)	C10—H10A	0.9600
N4—C8	1.324(2)	C10—H10B	0.9600
N4—C9	1.349 (2)	C10—H10C	0.9600
C1—C2	1.443 (3)		
O1—S1—O2	115.62 (17)	C5—C4—H4	119.5
O1—S1—C10	109.07 (14)	C6—C5—C4	121.05 (19)
O2—S1—C10	112.43 (17)	C6—C5—H5	119.5
O1—S1—C9	108.29 (11)	C4—C5—H5	119.5
O2—S1—C9	107.48 (11)	C5—C6—C7	118.07 (18)
C10—S1—C9	103.11 (10)	C5—C6—H6	121.0
C1—N1—C8	115.74 (16)	C7—C6—H6	121.0
N3—N2—C8	110.54 (14)	N2—C7—C6	122.78 (17)
N3—N2—C7	125.77 (15)	N2—C7—C2	115.21 (16)
C8—N2—C7	123.68 (15)	C6—C7—C2	122.01 (17)
C9—N3—N2	100.26 (14)	N4—C8—N2	109.99 (16)
C8—N4—C9	101.57 (15)	N4—C8—N1	127.82 (17)
N1—C1—C2	126.35 (17)	N2—C8—N1	122.18 (16)
N1—C1—C11	116.69 (14)	N3—C9—N4	117.62 (16)
C2—C1—C11	116.95 (14)	N3—C9—S1	119.54 (14)
C3—C2—C7	118.11 (17)	N4—C9—S1	122.82 (14)
C3—C2—C1	125.06 (17)	S1—C10—H10A	109.5
C7—C2—C1	116.83 (16)	S1—C10—H10B	109.5
C4—C3—C2	119.81 (18)	H10A—C10—H10B	109.5
	• •		

Acta Cryst. (2012). E68, o1809 sup-4

supplementary materials

C4—C3—H3A	120.1	S1—C10—H10C	109.5
C2—C3—H3A	120.1	H10A—C10—H10C	109.5
C3—C4—C5	120.94 (19)	H10B—C10—H10C	109.5
C3—C4—H4	119.5		
C8—N2—N3—C9	-0.9(2)	C3—C2—C7—C6	0.0(3)
C7—N2—N3—C9	179.96 (17)	C1—C2—C7—C6	-179.65 (17)
C8—N1—C1—C2	-0.6(3)	C9—N4—C8—N2	-0.5(2)
C8—N1—C1—C11	179.85 (14)	C9—N4—C8—N1	179.41 (19)
N1—C1—C2—C3	-179.0(2)	N3—N2—C8—N4	0.9(2)
Cl1—C1—C2—C3	0.5 (3)	C7—N2—C8—N4	-179.93 (17)
N1—C1—C2—C7	0.7 (3)	N3—N2—C8—N1	-178.95 (16)
Cl1—C1—C2—C7	-179.81 (13)	C7—N2—C8—N1	0.2(3)
C7—C2—C3—C4	0.0(3)	C1—N1—C8—N4	-179.7(2)
C1—C2—C3—C4	179.63 (19)	C1—N1—C8—N2	0.2(3)
C2—C3—C4—C5	-0.2(3)	N2—N3—C9—N4	0.7(2)
C3—C4—C5—C6	0.4(3)	N2—N3—C9—S1	-177.85 (13)
C4—C5—C6—C7	-0.3(3)	C8—N4—C9—N3	-0.2(2)
N3—N2—C7—C6	-1.7(3)	C8—N4—C9—S1	178.32 (15)
C8—N2—C7—C6	179.27 (18)	O1—S1—C9—N3	122.07 (19)
N3—N2—C7—C2	178.86 (16)	O2—S1—C9—N3	-3.5 (2)
C8—N2—C7—C2	-0.1(3)	C10—S1—C9—N3	-122.44 (19)
C5—C6—C7—N2	-179.21 (19)	O1—S1—C9—N4	-56.4 (2)
C5—C6—C7—C2	0.2 (3)	O2—S1—C9—N4	178.1 (2)
C3—C2—C7—N2	179.43 (17)	C10—S1—C9—N4	59.1 (2)
C1—C2—C7—N2	-0.2 (2)		

Acta Cryst. (2012). E**68**, o1809